Supplier - SMART OIL Smart Base 2826

Sulfurized Fatty Oil

Typical Properties

Appearance	Clear Amber Liquid
Specific Gravity@25°C	0.900 - 1.000
Viscosity@40°C, cSt	150 - 250
Sulfur Content (Active), %wt	26 - 28 (>15)
Acid Value, mgKOH/g	≤ 8
Flash Point C.O.C., °C	> 130
Copper Corrosion+	4B
P_B/P_D , kg++	88 / 315
Std Packaging (NW / GW, Kg)	212.0 / 195.0

Product Description

SMART BASE 2826 is a clear amber sulfurized fatty oil with low odor and high sulfur content. It possesses good lubricity and EP characteristic. It is recommended for use in formulations of neat oils for ferrous metals.

SMART BASE 2826 contains active sulfur, so it is not recommended for yellow metal applications.

SMART BASE 2826 possesses low viscosity and high sulfur content, so it is suitable for heavy-duty operations such as tapping, drawing, stamping, turning and threading.

SMART BASE 2826 exhibits more superior EP property when compared with conventional sulfurized additive that has same sulfur content, which can enhance surface finishing of the workpieces.

SMART BASE 2826 has good stability and compatibility with other additives and different groups of base oils, which make it easy for blenders to use for blending different types of machining oils.

<u>Applications</u>	<u>Suggested Treat Rates, %wt</u>
Threading	3 - 12
Threading	3 - 12
Cold Head (Cut Side Only)	5 - 8
Cold Head (Cut Side Only)	5 - 8
Turning	2 - 10

Disclaimer: Information provided by this website and product page including specifications, applications and formulations are based on tests and data supplied by Smart Oil companies, manufacturers or any of our collaborated companies or suppliers, which are believed to be correct and reliable at the time of writing and data update. However, Smart Oil companies, manufacturers or any of our collaborated companies or suppliers make no warranty or responsibility, express or implied, of any kind regarding products, performance, formulations or applications, as operation conditions and application environments are beyond our control, or products will be modified by action of manufacturers or due to change in market environments. Users are herewith expressively requested to conduct test to determine the suitability of our products or product information before use. Furthermore, we regret that we cannot be responsible for informing customers any changes in specifications, formulations, or other technical contents to the respective companies, or from their sources.